CARGO CONTROL CATALOGUE
2015/2016

DSI RUBBER

- Sri Lanka's No.1 Moulded Rubber Products Exporter to the world.
- A Member of DSI Samson Group, a Multi Disciplinary, Blue-chip Sri Lankan Enterprise.

Our Company

Samson Rubber Products (Pvt) Ltd. embarks on sustainable development through investing in Cutting Edge Technology, Green Lean Manufacturing, Continuous Improvement, Integrated Supply Chain Solutions, R&D Innovations & World Class Management Best Practices. DSI Rubber Products proudly export to North America, EU, Asia, Australia & NZ. We are capable of Compression & Injection Moulding, Extrusion, Sheet Manufacturing and many types of Bondings (Steel, PP,PVC etc).We manage our own Rubber Recycling Division and Rubber Estates. We presently work with FDA Approved Food Grade Rubber(NR), Recycled Rubber, NYLON, PP, PE, PET, EVA, EPDM, HDPE, LATEX, NBR, SBR, NEOPRENE, PVC.

Our Team

Team work is the hallmark of our company's success. DSI Samson Group employs a work force of over 20,000 Highly Skilled Technical, Engineering, Managerial, Marketing and Administrative Staff. We believe that each employee plays a pivotal role to make the customers delight through making them satisfied. DSI employees continuously go through comprehensive Training and Development programs in their respective fields to ensure optimum level of skill management, organizational knowledge building and productivity improvement.

Our Ethics

Company Best Practices and Professional Ethics, guide DSI operations locally and in Overseas Markets. Upholding Intellectual Property Rights and Providing High Levels of Customer Care is a DSI Core Value when dealing with our Valued Customers.

TARP STRAPS

Size	Color	Material	Length (")	Weight (g)	Hardness IRHD	Qty per 20' FCL
RTS 04"	Black	NR	4.75+/-0.15	55+/-05	58+/-05	156,800
RTS 04"	Black	EPDM	4.75+/-0.15	65+/-05	58+/-05	156,800
RTS 04"	Blue	EPDM	4.75+/-0.15	54+/-05	56+/-03	156,800
RTS 09"	Black	NR	9.75+/-0.15	90+/-05	58+/-05	115,200
RTS 09"	Black	EPDM	9.75+/-0.15	76+/-05	58+/-05	115,200
RTS 09"	Blue	EPDM	9.75+/-0.15	74+/-05	56+/-03	115,200
RTS 15"	Black	NR	15.00+/-0.3	105+/-10	58+/-05	79,200
RTS 15"	Black	EPDM	15.00+/-0.3	89+/-10	58+/-05	79,200
RTS 15"	Blue	EPDM	15.00+/-0.3	87+/-10	56+/-03	79,200
RTS 21"	Black	NR	21.00+/-0.3	125+/-10	58+/-05	70,000
RTS 21"	Black	EPDM	21.00+/-0.3	106+/-10	58+/-05	70,000
RTS 21"	Blue	EPDM	21.00+/-0.3	103+/-10	56+/-03	70,000
RTS 31"	Black	NR	31.30+/-0.3	170+/-10	58+/-05	49,000
RTS 31"	Black	EPDM	31.30+/-0.3	144+/-10	58+/-05	49,000
RTS 31"	Blue	EPDM	31.30+/-0.3	140+/-10	56+/-03	49,000
RTS 41"	Black	NR	41.30+/-0.3	215+/-10	58+/-05	44,800
RTS 41"	Black	EPDM	41.30+/-0.3	182+/-10	58+/-05	44,800
RTS 41"	Blue	EPDM	41.30+/-0.3	178+/-10	56+/-03	44,800

- Superior Tensile Strength
- Extreme Elongation
- Excellent Recovery
- Excellent Weather Resistance

RUBBER ROPES

Solid Rubber Rope

Hollow Rubber Rope

Description	Size	Material	Weight (kg)	Diameter (mm)	Hardness IRHD	Qty per 20' FCL
Solid Rubber Rope	3/8" X 150'	NR	3.96	9.00+/-1.00	70+/-05	6,100
Solid Rubber Rope	7/16" X 150'	NR	6.30	11.00+/-1.00	70+/-05	4,900

Description	Size	Material	Weight (kg)	Outer Diameter (mm)	Inner Diameter (mm)	Hardness IRHD	Qty per 20' FCL
Hollow Rubber Rope	3/8" X 150'	NR	2.00	9.00+/-1.00	3.50+/-0.50	70+/-05	6,100
Hollow Rubber Rope	7/16" X 150'	NR	5.40	11.00+/-1.00	3.50+/-0.50	70+/-05	4,900

- Superior Tensile Strength
- Excellent Weather Resistance
- Extreme Elongation
- Provides Fast & Secure Tie-Down of Tarps
- Durable

D BUMPERS



Sizes	Color	Material	Dimensions (mm)				Hardness (IRHD)	Weight (kg)	Qty per 20' FCL
			A	B	C	D			
Small	Black	NR	55+/-05	30+/-02	15+/-02	50+/-05	75+/-05	5.70	1,440
Medium	Black	NR	90+/-05	45+/-05	20+/-02	75+/-05	75+/-05	6.75	720
Large	Black	NR	105+/-05	65+/-05	20+/-02	95+/-05	75+/-05	10.25	600

- Excellent Weather Reistance
- Excellent Shock Absorption
- Easy Installment
- Hassel Free Performance

PALLET BANDS

- Superior Tensile Strength
- Excellent Weather Resistance
- Extreme Elongation

Available in different customized sizes.

MOVER BANDS

Description	Color	Material	Length (mm)	Width (mm)	Thickness (mm)	Weight (g)	Hardness (IRHD)	Qty per 20' FCL
M B Small 27"	Beige	NR	675+/-50	19+/-1	1.40+/-0.40	46	45+/-05	271,875
M B Medium 30"	Green	NR	750+/-50	19+/-1	1.40+/-0.40	52	45+/-05	271,875
M B Large 36"	Blue	NR	900+/-50	19+/-1	1.40+/-0.40	61	45+/-05	206,927
M B Small 44"	Red	NR	1100+/-60	19+/-1	1.40+/-0.40	72	45+/-05	206,927

- Superior Tensile Strength
- Excellent Weather Resistance
- Extreme Elongation

MUDFLAPS

Size (")	Length (")	Width (")	Thickness [edge] (")	Thickness [middle] (")	Weight [Kg]
30" x 24" x 1/2" x 1/4"	30 +/- 0.25	24 +/- 0.25	0.50 +/- 0.04	0.25 +/- 0.04	4.500 +/- 0.050
30" x 24" x 1/4" x 1/8"	30 +/- 0.25	24 +/- 0.25	0.25 +/- 0.04	0.125 +/- 0.04	2.050 +/- 0.050
36" x 24" x 1/2" x 1/4"	36 +/- 0.25	24 +/- 0.25	0.50 +/- 0.04	0.125 +/- 0.04	4.900 +/- 0.050
36" x 24" x 1/4" x 1/8"	36 +/- 0.25	24 +/- 0.25	0.25 +/- 0.04	0.125 +/- 0.04	2.475 +/- 0.050
36" x 24" x 1/4" x 1/8" [V' shape - under side]	30 +/- 0.25	24 +/- 0.25	0.25 +/- 0.04	0.50 +/- 0.04	2.900 +/- 0.050
36" x 24" x 1/2" x 1/4" [V' shape- under side]	36 +/- 0.25	24 +/- 0.25	0.50 +/- 0.04	0.25 +/- 0.04	5.800 +/- 0.050
24" x 24" x 1/2" x 1/4"	24 +/- 0.25	24 +/- 0.25	0.50 +/- 0.04	0.25 +/- 0.04	2.000 +/- 0.050

- Anti -Sail
- Anti - Curl
- Reduce Spray
- Excellent Weather Resistance
- Durable
- Resists Buildup of Ice and Snow
- Repels Impact from Road Debris

NEW ARRIVAL

Size (")	Length (")	Width (")	Thickness (")	Weight (Kg)
0.36x24x24	24+/-0.25	24+/-0.25	0.36+/-0.04	2.5+/-0.05
0.36x24x30	30+/-0.25	24+/-0.25	0.36+/-0.04	3.0+/-0.05
0.36x24x36	36+/-0.25	24+/-0.25	0.36+/-0.04	3.9+/-0.05
0.45x24x24	24+/-0.25	24+/-0.25	0.45+/-0.04	3.5+/-0.05
0.45x24x30	30+/-0.25	24+/-0.25	0.45+/-0.04	4.7+/-0.05
0.45x24x36	36+/-0.25	24+/-0.25	0.45+/-0.04	5.6+/-0.05

- Anti -Sail
- Anti - Curl
- Reduce Spray
- Excellent Weather Resistance
- Durable
- Resists Buildup of Ice and Snow
- Repels Impact from Road Debris

CORNER PROTECTORS

Verticle Corner Protector 12"

NEW ARRIVAL

Verticle Corner Protector 5"

Triangle Corner Protector 7"

Triangle Corner Protector 6"

Description	Width (mm)	Height (mm)	Diagonal (mm)	Weight (g)	Qty per 20' FCL
Verticle Corner Protector 12"	295+/-02	80+/-01	-	149+/-05	20,500
Verticle Corner Protector 5"	135+/-02	100+/-01	125+/-02	94+/-05	20,500
Triangle Corner Protector 7"	195+/-02	80+/-01	-	65+/-05	18,450
Triangle Corner Protector 6"	160+/-02	80+/-01	-	69+/-05	28,700

- Superior Safety for Cargo
- Excellent Weather Resistance
- Trusted Durability

WHEEL CHOCKS

NEW ARRIVAL

Description	Material	Width (")	Height (")	Diagonal (")	Weight (lbs)	Hardness (IRHD)	Qty per 20' FCL
Wheel Chock with Eye Bolt	NR	10+/-0.25	6+/-0.15	8+/-0.2	10.6+/-01	75+/-05	3,520

- 50% Wider Tyre Contact Increases Stability by 25% against Torsional Forces
- 30% Wider Road Contact Increases Traction by 25%
- Excellent Weather Resistance
- Superior Durability

Available in Customized Designs





ADJUSTABLE TARP STRAPS

NEW ARRIVAL

Size/Description	Color	Material	Length (")	Weight (g)	Hardness (IRHD)	Qty per 20' FCL
Adjustable Tarp Strap 30"	Black	NR	30+/-0.3	146+/-10	58+/-05	49,000
Adjustable Tarp Strap 30"	Black	EPDM	30+/-0.4	118+/-10	58+/-06	49,000

- Superior Tensile Strength
- Extreme Elongation
- Excellent Weather Resistance
- Excellent Recovery
- Enables to Adjust the Length of the Strap

DSI RUBBER

USA

CANADA

AUSTRALIA

NEW ZEALAND

GERMANY

SWEDEN

DENMARK

NETHERLANDS

IRELAND

SLOVAKIA

NORWAY

SOUTH AFRICA

JAPAN

RUSSIA

INDIA

DUBAI

FRANCE

SAMSON RUBBER PRODUCTS (PVT) LTD

D Samson Rajapaksa Mawatha,Bataduwa ,Galle,Sri Lanka.
Hot line:+94-777815014,+94-777815407,+94-773666896
Tel:+94-91-2223266,+94-91-4385043
Fax:+94-912223267
E-mail: dsiproducts@srp.dsityre.lk

WWW.SAMSONRUBBERS.COM
WWW.DSIRUBBERSTRAPS.COM

A member of DSI Samson group